





BUSA® Large Bone Saw Blades - Oscillating BR2000™ (Aggressive Cut) - Proprietary

Compatible with Linvatec® Oscillating Saw Systems:
MPower®, PowerPro® and VersiPower® Plus







BUSA®
Proprietary

Compatible with Linvatec® Oscillating Saw Systems: MPower®, PowerPro® and VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-1270-50F	mm	70	12.5	1.27	1.27
	in	2.76	0.49	0.050	0.050
<i>Substitute for Linvatec® 5071-354</i>					
					No Tooth Offset
					Flared Blade
K7-1290-35	mm	90	12.5	0.89	0.89
	in	3.54	0.49	0.035	0.035
<i>Substitute for Linvatec® 5071-340</i>					
					No Tooth Offset
K7-1290-47	mm	90	12.5	1.19	1.19
	in	3.54	0.49	0.047	0.047
<i>Substitute for Linvatec® 5071-343</i>					
					No Tooth Offset
K7-1290-50	mm	90	12.5	1.27	1.27
	in	3.54	0.49	0.050	0.050
<i>Substitute for Linvatec® 5071-344</i>					
					No Tooth Offset

BUSA® Large Bone Saw Blades - Oscillating BR2000™ (Aggressive Cut) - Proprietary

Compatible with Linvatec® Oscillating Saw Systems: MPower®, PowerPro® and VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-1990-35	mm	90	19	0.89	0.89
	in	3.54	0.75	0.035	0.035
<i>Substitute for Linvatec® 5071-300</i>					
					No Tooth Offset
K7-1990-47	mm	90	19	1.19	1.19
	in	3.54	0.75	0.047	0.047
<i>Substitute for Linvatec® 5071-303</i>					
					No Tooth Offset
K7-1990-50	mm	90	19	1.27	1.27
	in	3.54	0.75	0.050	0.050
<i>Substitute for Linvatec® 5071-304</i>					
					No Tooth Offset
K7-1990-54	mm	90	19	1.37	1.37
	in	3.54	0.75	0.054	0.054
<i>Substitute for Linvatec® 5071-305</i>					
					No Tooth Offset

Compatible with Linvatec® Oscillating Saw Systems:
MPower®, PowerPro® and VersiPower® Plus



BUSA®
Proprietary

BUSA® Large Bone Saw Blades - Oscillating BR2000™ (Aggressive Cut) - Proprietary

Compatible with Linvatec® Oscillating Saw Systems:
MPower®, PowerPro® and VersiPower® Plus







BUSA®
Proprietary

Compatible with Linvatec® Oscillating Saw Systems: MPower®, PowerPro® and VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-2190-39F	mm	90	21	0.99	0.99
	in	3.54	0.83	0.039	0.039
<i>Substitute for Linvatec® 5071-311</i>					
					No Tooth Offset
					Flared Blade
K7-2190-47F	mm	90	21	1.19	1.19
	in	3.54	0.83	0.047	0.047
<i>Substitute for Linvatec® 5071-313</i>					
					No Tooth Offset
					Flared Blade
K7-2190-50F	mm	90	21	1.27	1.27
	in	3.54	0.83	0.050	0.050
<i>Substitute for Linvatec® 5071-314</i>					
					No Tooth Offset
					Flared Blade
K7-2190-54F	mm	90	21	1.37	1.37
	in	3.54	0.83	0.054	0.054
<i>Substitute for Linvatec® 5071-315</i>					
					No Tooth Offset
					Flared Blade

BUSA® Large Bone Saw Blades - Oscillating BR2000™ (Aggressive Cut) - Proprietary

Compatible with Linvatec® Oscillating Saw Systems: MPower®, PowerPro® and VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-2590-35	mm	90	25	0.89	0.89
	in	3.54	.98	0.035	0.035
<i>Substitute for Linvatec® 5071-320</i>					
					No Tooth Offset
K7-2590-39	mm	90	25	0.99	0.99
	in	3.54	.98	0.039	0.039
<i>Substitute for Linvatec® 5071-321</i>					
					No Tooth Offset
K7-2590-47	mm	90	25	1.19	1.19
	in	3.54	.98	0.047	0.047
<i>Substitute for Linvatec® 5071-323</i>					
					No Tooth Offset
K7-2590-50	mm	90	25	1.27	1.27
	in	3.54	.98	0.050	0.050
<i>Substitute for Linvatec® 5071-324</i>					
					No Tooth Offset

Compatible with Linvatec® Oscillating Saw Systems:
MPower®, PowerPro® and VersiPower® Plus





BUSA®
Proprietary

BUSA® Large Bone Saw Blades - Oscillating BR2000™ (Aggressive Cut) - Proprietary

Compatible with Linvatec® Oscillating Saw Systems:
MPower®, PowerPro® and VersiPower® Plus

Compatible with Linvatec® Oscillating Saw Systems: MPower®, PowerPro® and VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-2590-54	mm	90	25	1.37	1.37
	in	3.54	.98	0.054	0.054
<i>Substitute for Linvatec® 5071-325</i>					
					No Tooth Offset
K7-2590-58	mm	90	25	1.47	1.47
	in	3.54	.98	0.058	0.058
<i>Substitute for Linvatec® 5071-326</i>					
					No Tooth Offset



BUSA®
Proprietary